


SAN DIEGO CONVENTION CENTER
CAPACITY CHARTS



FLOOR PLANS

LEGEND

- Exhibit Hall
- Meeting Room
- Common Area (Lobby, hallway)
- Outdoor Terrace
- Elevator
- ATM
- Escalator
- Stairs
- Concession Area
- Moveable Partition
- Freight Elevator
- Not Accessible
- Columns Exhibit Halls A,B,C
- Airwall Columns Between Halls C & D
- Airwall Columns Between Halls D,E,F,G,H
- All Other Columns



UPPER LEVEL

MEZZANINE LEVEL

GROUND LEVEL

ROOM SPECIFICATIONS
See next page for details.

Capacity Charts

GROUND LEVEL SPECIFICATIONS

ROOM NAME	DIMENSIONS	SQUARE FEET	CEILING HEIGHT	10' X 10' BOOTHS	SEATING CAPACITIES			
					THEATER	CLASSROOM	BANQUET	RECEPTION
Exhibit Hall ABCDEFGH	1918'0" x 304'0"	525,701	varies	2939	**	**	**	**
• Exhibit Hall ABC	838'9" x 299'4"	249,338	27'4" 40'0"	1388	20,000	16,936	12,640	20,000
• Exhibit Hall A	180'0" x 299'4"	48,613	27'4" 40'0"	270	4,500	2,850	2,140	4,500
• Exhibit Hall B1	236'9" x 299'4"	72,642	27'4" 40'0"	406	6,000	4,548	3,120	6,000
• Exhibit Hall B2*	119'9" x 299'4"	36,043	27'4" 40'0"	203	2,500	1,808	1,390	2,500
• Exhibit Hall B1/B2	299'4" x 356'6"	108,685	27'4" 40'0"	609	8,500	6,772	5,060	8,500
• Exhibit Hall B2/C	299'4" x 418'3"	128,083	27'4" 40'0"	708	9,100	7,288	5,880	9,100
• Exhibit Hall C	298'6" x 299'4"	92,040	27'4" 40'0"	509	6,600	5,300	4,600	6,600
• Exhibit Hall DEFGH	1072'6" x 304'0"	276,363	varies	1551	**	**	12,770	**
• Exhibit Hall D	256'0" x 240'4"	58,725	27'4" 39'0"	324	5,880	4,244	2,690	5,880
• Exhibit Hall E	180'0" x 240'4"	43,350	27'4" 39'0"	240	4,330	3,044	2,010	4,330
• Exhibit Hall F	180'0" x 304'0"	54,638	36'4" 64'0"	311	5,750	3,840	2,480	6,000
• Exhibit Hall G*	180'0" x 304'0"	54,808	36'4" 64'0"	311	5,750	3,840	2,480	6,000
• Exhibit Hall H	295'0" x 304'0"	64,842	36'4" 64'0"	365	6,130	4,520	2,900	6,700
• Exhibit Hall FG	360'0" x 304'0"	109,446	36'4" 64'0"	596	12,000	8,536	5,690	12,000
• Exhibit Hall GH	475'0" x 304'0"	119,650	36'4" 64'0"	604	12,327	9,568	6,150	12,700

Show Office A	30' x 20'	600 gsf
Show Office B	30' x 30'	900 gsf
Show Office C	11' x 23'	450 gsf
Show Office D	32' x 23'8"	700 gsf
Show Office E	28' x 23'8"	650 gsf
Show Office F	24'4" x 15'10"	350 gsf
Show Office G	24' x 15'10"	330 gsf
Show Office H	24' x 15'10"	330 gsf

DOOR DIMENSIONS

Front Entrance Doors	7'w x 9'h
Exhibit Hall Doors	6'w x 9'h
Freight Door (A)	20'w x 16'h
Freight Door (B)	20'w x 16'h
Freight Door (C)	20'w x 16'h
Freight Door (D)	23'w x 16'h
Freight Door (E)	23'w x 16'h
Freight Door (F)	23'w x 16'h
Freight Door (G)	23'w x 16'h
Freight Door (H)	23'w x 16'h
Elephant Door (H)	23'w x 30'h

CONCESSION AREAS

(A)	N/A
(B)	45' x 25'
(C)	45' x 25'
(D)	30' x 30'
(E)	30' x 30'
(F)	30' x 30'
(G)	30' x 30'
(H)	30' x 30'

General Information

- Capacities** All capacities based on calculations of the San Diego Fire Marshal
- Floor Loads** 350 lbs. per sq. ft.
- Airwalls** Sound absorptive panels; denoted by dotted lines
- Columns** Four column types as denoted on diagram by numbers
- Utility Boxes** Floor utility boxes are on 30 ft. centers; all boxes have phone and electrical (110 v. on 30 amp. breakers, single phase, and 208 v. on 60 amp breakers, single phase)
- Lighting** LED lighting
Note: color temperature of LED lighting is 5K

* Halls B-2 and G do not stand alone.

** Capacities vary. Contact your San Diego Convention Center event manager for custom room set ups.



MEZZANINE LEVEL SPECIFICATIONS

ROOM	DIMENSIONS	SQUARE FEET	CEILING HEIGHT	SEATING CAPACITIES			
				THEATER	CLASSROOM	BANQUET	RECEPTION
12	27'10" x 38'11"	1,055	10'	84	55	40	150
13	34'1" x 36'10"	1,038	9'11.5"	75	60	40	152
14AB	77'1" x 58'5"	4,616	14'6"	520	296	180	665
• 14A	37'7" x 58'5"	2,310	14'6"	230	117	90	332
• 14B	39'6" x 58'6"	2,306	14'6"	230	130	90	334
15AB	79'2" x 58'6"	4,615	14'6"	546	296	180	665
• 15A	39'6" x 58'6"	2,304	14'6"	235	130	90	334
• 15B	39'8" x 58'6"	2,311	14'6"	230	130	90	332
16AB	79'3" x 58'7"	4,626	14'6"	546	296	180	665
• 16A	39'8" x 58'7"	2,312	14'6"	230	130	90	332
• 16B	39'7" x 58'7"	2,314	14'6"	230	130	90	334
17AB	79'2" x 58'6"	4,615	14'6"	546	296	180	664
• 17A	58'6" x 39'7"	2,311	14'6"	230	130	90	332
• 17B	58'6" x 39'7"	2,314	14'6"	230	130	90	332
18	27'8" x 38'11"	1,049	9'11.5"	84	55	40	150
19	34'8" x 36'8"	1,007	9'11.5"	72	51	40	144

OUTDOOR	DIMENSIONS	SQUARE FEET
Mezzanine East Terrace	162' x 37'7" to 65'6"	18,262
Mezzanine West Terrace	162'8" x 38'2" to 65'6"	18,777

General Information

- Lighting** LED lighting - levels controllable at wall panel
**Note: color temperature of LED lighting is 5K*
- Rooms 14-17** Glass windows and doors open to terrace. Sheers and black-out-drapes allow for enhanced A/V presentations
- Airwalls** Sound absorptive panels; denoted by dotted lines
- Access to Mezzanine Level** Mezzanine Level is accessible in three ways:
 - from Cityside Ground Level Lobby West to Upper Level, across Upper Level, then down to Mezzanine Level via elevator, escalator or stairs
 - from Bayside Exterior Ground Level via exterior elevator or stairs
 - from Ground Level Bayside Lobby, for Exhibit Halls B & C licensees, via interior elevator, escalator or stairs



UPPER LEVEL SPECIFICATIONS


ROOM	DIMENSIONS	SQUARE FEET	CEILING HEIGHT	SEATING CAPACITIES			
				THEATER	CLASSROOM	BANQUET	RECEPTION
1AB	77'5" x 58'8"	4,515	14'6"	504	288	180	647
• 1A	37'10" x 58'8"	2,207	14'6"	220	120	90	319
• 1B	39'7" x 58'8"	2,308	14'6"	220	120	110	328
2	59'6" x 59'5"	3,509	14'6"	340	156	160	500
3	48'9" x 59'4"	2,833	14'6"	280	155	90	403
4	48'3" x 58'7"	2,839	14'6"	280	155	110	403
5AB	80'2" x 58'5"	4,667	14'6"	504	288	180	657
• 5A	39'5" x 59'5"	2,300	14'6"	220	120	90	328
• 5B	40'9" x 59'8"	2,367	14'6"	220	120	90	329
Ballroom 6ABCDEF	114'3" x 348'10"	40,781	23'8.5"	4,000	2,360	2,080	5,760
• 6A	89'11" x 114'3"	10,573	23'8.5"	1,040	576	480	1,472
• 6B	89'9" x 114'3"	10,607	23'8.5"	1,040	576	480	1,508
• 6C	59'9" x 89'10"	5,291	23'8.5"	560	360	240	754
• 6D	59'0" x 74'11"	4,508	23'8.5"	442	264	160	632
• 6E	59'0" x 74'4"	4,508	23'8.5"	442	264	160	632
• 6F	59'9" x 89'10"	5,294	23'8.5"	560	360	240	754
7AB	72'11" x 58'7"	4,254	14'6"	480	279	150	613
• 7A	33'5" x 58'7"	1,950	14'6"	200	110	80	285
• 7B	39'6" x 58'7"	2,304	14'6"	230	130	110	328
8	59'4" x 59'5"	3,498	14'6"	340	156	160	500
9	48'3" x 58'8"	2,838	14'6"	280	155	120	403
10	48'2" x 58'8"	2,836	14'6"	280	155	120	346
11AB	79'8" x 58'7"	4,639	14'6"	504	288	180	657
• 11A	39'7" x 58'8"	2,309	14'6"	220	120	90	328
• 11B	40'1" x 58'7"	2,330	14'6"	220	120	90	329
Sails Pavilion	299' x 305'5"	90,000	Varied	8,700	6,100	4,000	8,700
Ballroom 20ABC	151'8" x 270'4"	40,706	30'0"	4,800	2,904	1,960	5,820
• 20ABC	151'0" x 178'4"	27,000	30'0"	3,052	1,856	1,380	3,857
• 20A	151'8" x 88'4"	13,100	30'0"	1,330	860	580	1,880
• 20AB	151'8" x 133'4"	20,050	30'0"	2,214	1,352	980	2,865
• 20BCD	151'0" x 182'0"	27,606	30'0"	3,034	1,912	1,380	3,943
• 20BC	151'8" x 90'0"	13,900	30'0"	1,330	896	600	1,985
• 20CD	151'8" x 137'0"	20,656	30'0"	2,132	1,352	980	2,865
• 20D	151'8" x 92'0"	13,706	30'0"	1,400	848	680	1,960
21	35'10" x 32'0"	1,222	18'0"	84	48	40	125
22	45'4" x 40'2"	1,856	18'0"	168	80	60	185
23ABC	41'8" x 88'0"	3,954	18'0"	374	224	140	405
• 23A	28'6" x 42'8"	1,211	18'0"	112	72	40	135
• 23B	30'0" x 44'4"	1,324	18'0"	112	78	40	135
• 23C	29'8" x 46'0"	1,418	18'0"	117	78	40	135
24ABC	47'3" x 88'0"	4,446	18'0"	420	256	210	420
• 24A	29'8" x 47'2"	1,461	18'0"	126	90	60	140
• 24B	30'0" x 49'4"	1,476	18'0"	126	90	60	140
• 24C	28'6" x 51'2"	1,507	18'0"	140	96	60	140
25ABC	52'4" x 89'0"	4,886	18'0"	480	320	210	480
• 25A	28'6" x 52'4"	1,550	18'0"	143	102	60	160
• 25B	30'0" x 54'4"	1,629	18'0"	154	96	60	160
• 25C	30'6" x 56'0"	1,708	18'0"	154	108	60	160
26AB	53'6" x 58'6"	3,282	18'0"	340	187	120	340
• 26A	30'0" x 54'6"	1,632	18'0"	154	96	60	170
• 26B	28'6" x 56'3"	1,655	18'0"	156	108	60	170
27AB	35'2" x 57'9"	2,109	18'0"	182	117	60	210
• 27A	35'2" x 29'6"	1,117	18'0"	78	42	40	105
• 27B	35'2" x 28'3"	992	18'0"	97	54	40	105

* Ballroom 20 B & Ballroom 20C do not stand alone

UPPER LEVEL SPECIFICATIONS CONTINUED...

ROOM	DIMENSIONS	SQUARE FEET	CEILING HEIGHT	SEATING CAPACITIES			
				THEATER	CLASSROOM	BANQUET	RECEPTION
28ABCDE	55'4" x 151'8"	8,458	18'0"	850	560	330	850
• 28A	55'4" x 29'8"	1,641	18'0"	143	80	60	170
• 28B	55'4" x 30'0"	1,660	18'0"	143	80	60	170
• 28C	55'4" x 30'0"	1,660	18'0"	143	80	60	170
• 28D	55'4" x 30'0"	1,660	18'0"	143	80	60	170
• 28E	55'4" x 32'0"	1,835	18'0"	154	80	60	170
29ABCD	88'6" x 57'6"	6,976	18'0"	672	484	270	720
• 29A	31'4" x 57'6"	1,835	18'0"	168	90	60	180
• 29B	30'0" x 57'6"	1,725	18'0"	168	90	60	180
• 29C	30'0" x 57'6"	1,725	18'0"	168	90	60	180
• 29D	28'6" x 57'6"	1,691	18'0"	168	90	60	180
30ABCDE	148'0" x 57'6"	8,626	18'0"	840	638	330	875
• 30A	29'8" x 57'6"	1,760	18'0"	168	108	60	175
• 30B	30'0" x 57'6"	1,725	18'0"	168	108	60	175
• 30C	30'0" x 57'6"	1,725	18'0"	168	108	60	175
• 30D	30'0" x 57'6"	1,725	18'0"	168	108	60	175
• 30E	28'6" x 57'6"	1,691	18'0"	168	108	60	175
31ABC	88'2" x 57'6"	5,176	18'0"	520	352	210	525
• 31A	28'6" x 57'6"	1,691	18'0"	168	108	60	175
• 31B	30'0" x 57'6"	1,725	18'0"	168	108	60	175
• 31C	29'8" x 57'6"	1,760	18'0"	168	108	60	175
32AB	59'4" x 57'6"	3,521	18'0"	350	198	120	350
• 32A	29'8" x 57'6"	1,760	18'0"	168	108	60	175
• 32B	29'8" x 57'6"	1,760	18'0"	168	108	60	175
33ABC	88'4" x 57'6"	5,168	18'0"	520	352	210	525
• 33A	28'6" x 57'6"	1,686	18'0"	168	108	60	175
• 33B	30'0" x 57'6"	1,725	18'0"	168	108	60	175
• 33C	29'8" x 57'6"	1,756	18'0"	168	108	60	175

OUTDOORS		
Pavilion Terrace	247'6" x 47'6"	17,920
West Terrace	282'6" x 47'6"	19,955
Plaza Terrace	249'6" x 87'0"	11,752
East Terrace	689'0" x 31'0"	20,422
Center Terrace	208'5" x 50'6"	11,395



General Information

- SAILS PAVILION**
- Floor Loads** 150 lbs. per sq. ft
- Clearance** 27 ft. to the bottom of lighting encasement
- Lighting** RGB dimmable LED uplights (color lights)
Note: color temperature changes based on RGB
Non dimmable HiBay LED lights
**Note: color temperature is 5K*
- Rigging** Production rigging in the Sails Pavilion is exclusive to our AV Contractor
Ask your event manager for more information
- BALLROOM AS EXHIBIT SPACE**
- Specifications** Two column-free ballrooms
 - Ballroom 6 has a ceiling height of 24 ft. and Ballroom 20 has a ceiling height of 30 ft.
 - Ballroom 6 and 20 can accommodate approximately 200 – 10 ft. x 10 ft. booths
- Lighting**
 - Ballroom 6 as exhibit space – LED lighting with pre-set and dimming capabilities, controllable at wall panels
 - Ballroom 20 as exhibit space – LED lighting with dimming capabilities, controllable at wall panels
Note: color temperature of LED lighting is 5K

- MEETING ROOMS**
- Lighting** LED lighting with dimming capabilities
Note: color temperature of LED lighting is 5K
- Airwalls** Sound absorptive panels; denoted by dotted lines
- LOBBIES AND CORRIDORS**
- Lighting** LED lighting throughout